Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		283/82.ccls. and (optic\$5 ajd2 variable adj2 device\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:29
		235/451.ccls. and (optic\$5 adj2 variable adj2 device\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:14
		235/451.ccls. and optic\$5 adj2 variable adj2 device\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:14
		optic\$5 adj2 variable adj2 device\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:40
		235/491.ccls. and optic\$5 adj2 variable adj2 device\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27.11:13
L1	75	optical\$4 same diffract\$4 same ((metallization or metal\$4) near2 layer\$1) same (security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:10
L2	658	235/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:13
L3	452	235/491.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:13
L4	1604	235/494.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:34

			_			
L5	0	1 and target same encoded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:34
L6	14	1 and encoded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:37
L7	15	1 and discontinuous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 10:37
S1	269	235/491.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:49
S2	132	235/491.ccls. and optic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/26 13:50
S3	89	(235/491.ccls. and optic\$5) and (electric code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/26 13:51
S4	0	(235/491.ccls. and optic\$5) and (electric adj2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/26 13:51
S5	5	(235/491.ccls. and optic\$5) and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:26
S6	13	(235/491.ccls. and optic\$5) and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:09
S7	13	(235/491.ccls. and optic\$5) and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:09

S8	0	((235/491.ccls. and optic\$5) and metallic) and ((235/491.ccls. and optic\$5) and diffraction )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:26
S9	5	((235/491.ccls. and optic\$5) and metallic) and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:26
S10	5	(235/491.ccls. and optic\$5) and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:37
S11	58	(optic\$5 adj2 variable adj2 device\$) and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:40
S12	19	((optic\$5 adj2 variable adj2 device\$) and diffraction) and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 10:57
S13	1	(((optic\$5 adj2 variable adj2 device\$) and diffraction) and metallic) and conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:12
S14	151	235/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:12
S15	39	235/451.ccls. and (optic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:27
S16	2	(235/451.ccls. and (optic\$5)) and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2001/12/27 11:15
S17	32	(235/451.ccls. and (optic\$5)) and conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:18

	,					
S18	439	283/82.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:27
S19	96	283/82.ccls. and optic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:28
S20	6	((283/82.ccls. and optic\$5) and diffraction) and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:30
S21	0	(((283/82.ccls. and optic\$5) and diffraction) and metallic) and conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:30
S22	. 12	(283/82.ccls. and optic\$5) and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:34
S23	5175	428/195.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:35
S24	1359	428/195.ccls. and optica\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	.OFF	2001/12/27 11:36
S25	70	(428/195.ccls. and optica\$5) and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:36
S26	1	(((428/195.ccls. and optica\$5) and diffraction) and metallic) and conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 11:36
S27		((428/195.ccls. and optica\$5) and diffraction) and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 18:03

			<u> </u>			
S28		"5949060"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2001/12/27 18:03
S29	2	ep-97570-\$.did.	EPO; DERWENT	OR	OFF	2001/12/28 13:53
S30	2	ep-338378-\$.did.	EPO; DERWENT	OR	OFF	2001/12/28 13:54
S31	294	235/491.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:50
S32	189	235/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:50
S33	456	283/82.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:50
S34	6012	428/195.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:50
S35	5	"6491215".pn. "6335142".pn. "6295262".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:26
S36	1032	discontinuous near10 (metal or metalization or conducti\$3) near10 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:53
S37	1045	discontinuous near10 (metal or metallization or conducti\$3) near10 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:53
S38	20	(discontinuous near10 (metal or metallization or conducti\$3) near10 layer) near20 optical\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:21

S39	0	(discontinuous near10 (metal or metallization or conducti\$3) near10 layer) same optical\$3 same code\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:55
S40	1344	code\$1 same (metallization or metal or conductive) same layer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:56
S41	399	code\$1 near20 (metallization or metal or conductive) near20 layer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:57
S42	22	code\$1 near20 (metallization or metal or conductive) near20 layer\$1 near30 optical\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 12:58
S43	3	"6491215".pn. "6335142".pn. "6295262".pn. and meander	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:26
S44	. 0	("6491215".pn. "6335142".pn. "6295262".pn.) and meander	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:27
S45	844	ovd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:27
S46	693	ovd and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2003/05/14 16:27
S47	1	(ovd and optical) and metallization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:36
S48	0	(ovd and optical) and meander	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:44

	•		•			
S49		"4255652".pn. "5248544".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 16:57
S50	2	("4255652".pn. "5248544".pn.) and metal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:04
S51	Ó	((ovd and optical) and document) and (discontinuous same metallization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:05
S52	1	((ovd and optical) and document) and (metallization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:05
S53	69	(ovd and optical) and document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:06
S54	33	((ovd and optical) and document) and metal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:19
S55	4	((ovd and optical) and document) and encode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:20
S56	25	((ovd and optical) and document) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:20
S57	20	(discontinuous near10 (metal or metallization or conducti\$3) near10 layer) near20 optical\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:22
S58	0	((discontinuous near10 (metal or metallization or conducti\$3) near10 layer) near20 optical\$3 ) and encode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:22

S59	4	((discontinuous near10 (metal or metallization or conducti\$3) near10 layer) near20 optical\$3 ) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:26
S60	4	optically adj effective adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:28
S61	2	(optically adj effective adj diffraction) and metal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:28
S62	0	optical same security same encode same data same metal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:30
S63	144	optical same security same metal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:31
S64	46	(optical same security same metal) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:31
S65	13	((optical same security same metal) and data) and document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:40
S66	101	discontinuous same metallized same layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2003/05/14 17:46
S67	3	(discontinuous same metallized same layer) and document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:42
S68	2	"5388862".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/14 17:46

S69	404	235/491.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 17:04
S70	2	"5388862".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 17:04